TABLE OF CONTENTS

Installing Printer Driver to WorkstationPage 2
How to Print a Document from WorkstationPage 7
Accessing/Releasing Print JobsPage 8
FaxingPage 8
Ordering Supplies/Service RequestsPage 9

INSTALLING PRINTER DRIVER TO WORKSTATION

<u>Windows</u>



2. Install NSU Find-Me Print on their local computers

laf. Jopy path wate shortcut	More Copy to- to-	Delete Rename	New States	Properties	Select all Select none Invert selection		
k > snoupmt	26 ×					V 0 P	Search snsupmt05
United	new drivel	-	NSU Find-Me P	vint .	PCCient	4	PCDirectPrintMonitor
			< Back	Next > Cancel	3		
		9.00 + 1 + 1		(*)	Print as 2	-sided	Print

1. After installation is complete, select this printer from the drop down when printing

General				
Select Printer				
Network printer of Solution NSU Find-Me Printer of OneNote for Wind	onnection on printers.ns It on snsuprnt06 dows 10		Send To OneN UF_SecurePrint Xerox Global P	
< N				
Status: Read	▶ □P#	nt to file	Preferences	
Comment:			Find Printer.	

INSTALLING PRINTER DRIVER ERROR

If you are receiving the following error when trying to install the NSU Find-Me Printer proceed to next steps to install all recommended Microsoft security patches

Add Pr	inter	×
8	Connect to Printer Windows cannot connect to the printer.	
⊘ s	ee details	ОК
		Cancel

1. Go to start settings



- 2. Update & Security
- 3. Check online for updates

Language region, date



backup

Windows Update, recovery,

, camera, microphone



4. Check online for updates from Microsoft Update



5. Let all recommended updates install. Depending on how many patches are needed on the machine it could take some time to complete. You can minimize the window and continue to work. It will run in the background.

Windows Update *Some settings are managed by your organization View configured update policies



2

Updates available Last checked: Today, 9:14 AM

Feature update to Windows 10, version 20H2 Status: Getting things ready - 0%

Dell - Extension - 6/4/2019 12:00:00 AM - 1.3.2.281 Status: Pending install

Realtek Semiconductor Corp. - Extension - 6.0.9235.1 Status: Getting things ready - 0%

Windows Malicious Software Removal Tool x64 - v5.95 (KB890830) Status: Pending install

Dell, Inc. - Firmware - 0.1.14.0 Status: Pending install

2021-09 Update for Windows 10 Version 1903 for x64-based Systems (KB4023057) **Status:** Getting things ready - 0%

Intel - System - 2108.100.0.1053 Status: Getting things ready - 0%

Intel - Net - 12.19.0.18

6. Restart, once completed, you will see the following screen before you can log in



7. Install NSU Find-Me Print after logging back into your computer



	💻 🖸 📑 👻 snsuprnt06	
	File Home Share View	
	← → ∨ ↑ 💻 > Network > snsuprnt06 >	
	Quick access Quick access Constraint Desktop Downloads Constraint Documents	PCClient
	📰 Pictures 🖈	
Windows P	rinter Installation X	
Connect snsuprn	ing to NSU Find-Me Print on t06	
Looking fo	r a driver	

8. Close print queue window after completes

📾 NSU Find-Me Print on snsuprnt0		_		X			
Printer Document View							77
Document Name	Status	Owner	Pages	Size	Subr	nitted	୕୕୕୕ୣୄ୶ୄୖ
DF File	Paused	gmwilliams	1	319 KB	10:17	7:02 AM	11/

9. Printer is now available to b selected when printing to the Xerox device

General			
Select Printer			
. 🔄 Network printer connection on print	ers.ns	🚍 Se	end To OneNe
🗹 茔 NSU Find-Me Print on snsuprnt06		<u>Ξ</u> υ	F_SecurePrint
🚍 OneNote for Windows 10		ΞX	erox Global P
< N			
Status: Read	Prir	nt to file	Preferences
Comment:			Find Printer.

HOW TO PRINT A DOCUMENT FROM WORKSTATION

The Xerox copiers have a feature called "Find me print". This feature secures your copy until you go to the copier and tap your card so that nobody else picks up your copies by mistake. It also serves as a cost savings to your department and to the University because you may see that you need to only print certain jobs and not all of the jobs you have sent to the copier. Another feature is that you can also tap your card at any copier on the network and pick up your job.

The first time that you print to the Xerox copier, ID card must be associated with the unit to release the print

To print a document:

B&W DOCUMENTS (COPIER DEFAULT)

- 1. File-Print
- 2. Select find me print on snsprnt06 as printer
- 3. Select Printer Properties to select 2-sided print

COLOR (AVAILABLE TO COLOR COPIERS ONLY)

- 1. File -Print
- 2. Select find me print on snsuprnt06 as printer
- 3. Select Printer Properties
- 4. Select 2-sided
- 5. Xerox B&W Print change to off (defaulted to B&W at request of campus)

COLOR PDF PRINTING

- 1. Print
- 2. Print using system dialogue
- 3. Select find me print
- 4. Preferences
- 5. Xerox B&W Print change to off (defaulted to B&W at request of campus)

Accessing Copier/Releasing Print Jobs

The first time a user utilizes any of the Xerox copiers, you will need to "associate" your SpartanCard. After the association of the card is retained, you will simply need to tap the card and proceed.

- 1. Tap SpartanCard on the Xerox Unit
- 2. A message will indicate that your card is not recognized and ask if you wish to associate the card
- 3. Click "yes"
- 4. Enter your username (the same as utilized to log onto your computer)
- 5. Hit enter
- 6. Enter your Password (same as utilized to access your computer)
- 7. Hit Enter
- 8. You will be asked if you wish to associate this card. Enter "Yes"

To release a print job, select "print release." If you wish to scan a document select "scan". Please note that for security purposes this feature only permits scanning to your own NSU email account, which is associated with the card tapped.

Faxing

At this time, the fax address book is unable to be utilized. All faxes are to be entered and transmitted using the manual entry button.

- 1. Tap SpartanCard on the Xerox unit
- 2. Select "Access Device
- 3. From the home screen, select "Fax"
- 4. Select "Manual Entry"
- 5. Using the keypad on the Enter Recipient Screen, enter the fax number as follows:
 - 1. Hit "9" on the keypad
 - 2. Select "Dial Pause" from the second column
 - Go back to keypad and complete the number you wish to fax.
 Be sure to include area code, including 757 if sending to a local recipient
 - a. The fax number appears on the top line next to the "add" button (for example 9,757xxxxxx)
 - b. After reviewing the accuracy of the fax number, click "Add"
 - c. Hit the "send" button located on the upper right hand corner of the screen.

